



DISTRIBUTOR BROCHURE



ABOUT US

TCHIBO COFFEE SERVICE IN PARTNERSHIP WITH CARIMALI SINCE 2004

Tchibo Coffee Service are mirrored in their values of quality and innovation with one of the world's leading coffee machine manufacturers, Carimali, from Italy

With this ideal similarity, Tchibo Coffee Service and Carimali have had an exclusive partnership for close to 20 years. Tchibo Coffee Service are the sole distributor for Carimali across the UK and is the local expert in heritage and technical expertise.

This partnership has brought excellence in coffee together with knowledge in coffee machines.

THE COMPLETE SOLUTION

Tchibo Coffee Service are and will continue to be the only UK distributor for the Carimali brand, however, our Distributor Support Team are now able to offer the Carimali range of coffee machines to distribution partners across the UK.

As a partner distributor, we will provide specialist top class commercial coffee products backed by first class service, support and peace of mind. A one stop shop for all your commercial coffee equipment, coffee and supplies. Tchibo will invest our time and resources in distributors who will reciprocate our efforts by their commitment to the Carimali brand.



*working in
partnership with*





CONTENTS

ARMONIA SOFT | 4

ARMONIA ULTRA EASY | 5

ARMONIA ULTRA LM | 6

OPTIMA ULTRA LM | 7

BUBBLE TRADITIONAL MACHINE | 8

EUREKA ATOM TOUCH 65 GRINDER | 9

ACCESSORIES | 10

ARMONIA SOFT

BEAN-TO-CUP COFFEE SYSTEM

COLOUR OPTIONS

- Black
- White



HWD(MM): 717 | 324 | 560

4

SPECIFICATIONS

	EASY (SOLUBLE MILK)	LM (FRESH MILK)
STEAM BOILER CAPACITY	N / A	1.0 L
COFFEE BOILER CAPACITY	1.0 L	1.0 L
NET WEIGHT	38 KG	42 KG
GROSS WEIGHT	45 KG	49 KG
PUMP TYPE	ROTARY	
GROUNDS BIN CAPACITY	60 COFFEES	
BEAN HOPPER CAPACITY	0.65 KG	
SOLUBLE CAPACITY	2.0 L PER CANISTER	
VOLTAGE / TOTAL POWER	230 V, 1.95 KW 13 AMP SINGLE PHASE	230 V, 1+N 3.15 KW 13 AMP SINGLE PHASE

AVAILABLE ACCESSORIES

FRIDGE	FRIDGE S, FRIDGE S+	CUP WARMER	CUP WARMER PLUS
--------	---------------------	------------	-----------------

ARMONIA ULTRA EASY


SOLUBLE MILK BEAN-TO-CUP COFFEE SYSTEM

COLOUR OPTIONS

- ☒ Black
☐ White

The innovation continues with the new 10" touch screen that can be configured to display any type of drink selections and show videos. The intuitive user interface menu makes programming and use an easy task.

DRINK SCREEN VARIATIONS



MAXIMUM DRINK SELECTION 30

RECOMMENDED DRINKS PER DAY 200

ESPRESSO CUPS PER HOUR 150

SPECIALITY DRINKS PER HOUR 120

HOT WATER LITRES PER HOUR 40



HWD(MM): 717 | 324 | 560

SPECIFICATIONS

	EASY (SOLUBLE MILK)
STEAM BOILER CAPACITY	N / A
COFFEE BOILER CAPACITY	1.0 L
NET WEIGHT	38 KG
GROSS WEIGHT	45 KG
PUMP TYPE	ROTARY
GROUNDS BIN CAPACITY	60 COFFEES
BEAN HOPPER CAPACITY	0.65 KG
SOLUBLE CAPACITY	2.0 L PER CANISTER
VOLTAGE / TOTAL POWER	230 V, 1.95 KW 13 AMP SINGLE PHASE

SYSTEM FEATURES

LARGER SCREEN	COFFEE STRENGTH	CUP SIZE
New larger 10" screen: Clearer with more choices.	Customers can now choose from 3 coffee strengths	Choose from either regular or large

ARMONIA ULTRA LM

FRESH MILK BEAN-TO-CUP COFFEE SYSTEM

COLOUR OPTIONS

- Black
- White

The innovation continues with the new 10" touch screen that can be configured to display any type of drink selections and show videos. The intuitive user interface menu makes programming and use an easy task.

CARImilk the new dynamic milk technology, guarantees perfect milk foam every single time, ensuring the best consistency and thickness of hot and cold foam milk beverages.

DRINK SCREEN VARIATIONS

4	6	8	10
---	---	---	----

MAXIMUM DRINK SELECTION	30
RECOMMENDED DRINKS PER DAY	200
ESPRESSO CUPS PER HOUR	150
SPECIALITY DRINKS PER HOUR	120
HOT WATER LITRES PER HOUR	40



HWD(MM): 717 | 324 | 560

SPECIFICATIONS

	LM (FRESH MILK)
STEAM BOILER CAPACITY	1.0 L
COFFEE BOILER CAPACITY	1.0 L
NET WEIGHT	42 KG
GROSS WEIGHT	49 KG
PUMP TYPE	ROTARY
GROUNDS BIN CAPACITY	60 COFFEES
BEAN HOPPER CAPACITY	0.65 KG
SOLUBLE CAPACITY	2.0 L CHOCOLATE CANISTER
VOLTAGE / TOTAL POWER	230 V, 1+N 3.15 KW 13 AMP SINGLE PHASE

SYSTEM FEATURES (ALL MILK OPTIONS)

LARGER SCREEN
New larger 10" screen: Clearer with more choices.
CUP SIZE
Choose from either regular or large

COFFEE STRENGTH
Customers can now choose from 3 coffee strength
BEAN CHOICE
Multiple hoppers enable customers to choose their coffee bean.

DYNAMIC MILK OPTION

COLD MILK
Cold milk options
NEW MILK SYSTEM
Simpler system with even easier cleaning
NEW FRIDGE
Split fridge enables 2 milk options can be offered


OPTIMA ULTRA LM

FRESH MILK BEAN-TO-CUP COFFEE SYSTEM

High volume output integrated with an advanced user interface that offers the option of uploading customised screensavers and beverage selections, as well as running promotions to boost your business as drinks are being served. Special attention to energy saving is provided by the MaxSave technology that reduces power consumption, while guaranteeing high production capacity even at peak hours.

CARImilk the new dynamic milk technology, guarantees perfect milk foam every single time, ensuring the best consistency and thickness of hot and cold foam milk beverages.

DRINK SCREEN VARIATIONS



MAXIMUM DRINK SELECTION **30**

RECOMMENDED DRINKS PER DAY **400**

ESPRESSO CUPS PER HOUR **150**

SPECIALITY DRINKS PER HOUR **120**

HOT WATER LITRES PER HOUR **40**



COLOUR OPTIONS

● Black

HWD(MM): 815 | 324 | 560

SPECIFICATIONS

	LM (FRESH MILK)
STEAM BOILER CAPACITY	1.8 L
COFFEE BOILER CAPACITY	1.0 L
NET WEIGHT	48 KG
GROSS WEIGHT	58 KG
PUMP TYPE	ROTARY
GROUNDS BIN CAPACITY	60 COFFEES
BEAN HOPPER CAPACITY	1.3 KG X 2
STEAM WAND	YES
VOLTAGE / TOTAL POWER	230 V, 4.4 KW 32 AMP 3 PHASE: 400 V, 5.9 KW

SYSTEM FEATURES (ALL MILK OPTIONS)

LARGER SCREEN
New larger 10" screen: Clearer with more choices.

COFFEE STRENGTH
Customers can now choose from 3 coffee strength

CUP SIZE
Choose from either regular or large

BEAN CHOICE
Multiple hoppers enable customers to choose their coffee bean.

DYNAMIC MILK OPTION

COLD MILK
Cold milk options
NEW MILK SYSTEM
Simpler system with even easier cleaning
NEW FRIDGE
Split fridge enables 2 milk options can be offered

BUBBLE

TRADITIONAL ESPRESSO COFFEE SYSTEM

Bubble is the new semi-automatic coffee machine developed with high quality features, identified by round-shaped sides and groups, that makes it a unique, stand out modern and attractive design.



COLOUR OPTIONS

● Black

8

SPECIFICATIONS

SPECIFICATIONS	BUBBLE		
	1	2	3
GROUP	1	2	3
POWER	230 V, 13 AMP 1.85 KW	230 V, 13 AMP 3.15 KW	230 V, 20 AMP 4.35 KW 3 PHASE / 4.35 KW
NET WEIGHT	30 KG	47 KG	61 KG
GROSS WEIGHT	40 KG	63 KG	83 KG
BOILER	4.0 L	11.0 L	14.0 L
STEAM WANDS	1	2	2
DISPLAY	YES	YES	YES
DIMENSIONS - HWD (MM)	497 355 515	497 728 515	497 948 515

SYSTEM FEATURES

HOT WATER Programmable how water doses	PRE- INFUSION Programming of pre-infusion for all drink selections of each group	PRESSURE GUAGE For steam boiler and pump	TEMPERATURE PROBE For a constant control or steam boiler pressure
--	--	--	---

EUREKA ATOM TOUCH 65

ON-DEMAND COFFEE GRINDER

Eureka Atom Touch 65 uses the very latest in coffee grinding technology to ensure you serve the perfect coffee to your guests



HWD(MM): 425 | 180 | 240

SPECIFICATIONS

	EUREKA ATOM TOUCH 65
BURRS	65MM FLAT
BEAN HOPPER CAPACITY	300 G
NET WEIGHT	4.5 KG
PRODUCTIVITY	2.8 - 3.8 G PER SEC
RPM	1370
DISPLAY	TOUCH WITH DOSE COUNTER AND SPOTLIGHT
VOLTAGE / TOTAL POWER	280 W SINGLE PHASE

SYSTEM FEATURES

- SILENT TECHNOLOGY
- "HIGH SPEED" GRIND DISPERSION
- STEPLESS MICROMETRIC REGULATION SYSTEM (PATENTED BY EUREKA)
- "HIGH SPEED" MAINTENANCE
- ACE SYSTEM
- ALL-PURPOSE ADJUSTABLE "HANDS-FREE" FORK
- TOUCH DISPLAY WITH TFT TECHNOLOGY

ACCESSORIES

FRIDGE PLUS



SPECIFICATIONS

CAPACITY	4.5L
VOLTAGE	75W 230V 13AMP
NET WEIGHT	A01: 20 KG A02: 21 KG
GROSS WEIGHT	A01: 23 KG A02: 24 KG
FRIDGE FUNCTIONING	COMPRESSOR

DIMENSIONS

A01: (H) 584MM X (W) 215MM X (D) 420MM
A02: (H) 624MM X (W) 215MM X (D) 420MM

FRIDGE ULTRA



SPECIFICATIONS

CAPACITY	4.5L
VOLTAGE	75W 230V 13AMP
NET WEIGHT	A01: 20 KG A02: 21 KG
GROSS WEIGHT	A01: 23 KG A02: 24 KG
FRIDGE FUNCTIONING	COMPRESSOR

DIMENSIONS

A01: (H) 584MM X (W) 215MM X (D) 420MM
A02: (H) 624MM X (W) 215MM X (D) 420MM

CUP WARMER PLUS



SPECIFICATIONS

VOLTAGE	110W 230V 13AMP
NET WEIGHT	A01: 15 KG A02: 16 KG
GROSS WEIGHT	A01: 19 KG A02: 20 KG
LIGHTS	INCLUDED

DIMENSIONS

A01: (H) 584MM X (W) 324MM X (D) 429MM
A02: (H) 624MM X (W) 324MM X (D) 429MM

ACCESSORIES

CHOCO



SPECIFICATIONS

CAPACITY	A01: 2 KG A02: 4.5 KG
NET WEIGHT	A01: 11 KG A02: 9 KG
GROSS WEIGHT	A01: 14 KG A02: 10.25 KG

DIMENSIONS

A01: (H) 717MM X (W) 144MM X (D) 436MM
A02: (H) 814MM X (W) 144MM X (D) 436MM

FRIDGE - S



SPECIFICATIONS

CAPACITY	4.5 L (TANK) 7 L (CELL)
VOLTAGE	230V 13AMP
NET WEIGHT	14 KG

DIMENSIONS

(H) 225MM X (W) 392MM X (D) 465MM

11

FRESCOLATTE



SPECIFICATIONS

CAPACITY	1.5 L
VOLTAGE	230V 13AMP
NET WEIGHT	2.3 KG
FRIDGE FUNCTIONING	PELTIER CELL

DIMENSIONS

(H) 305MM X (W) 210 MM X (D) 276 MM



Tchibo Coffee International Ltd
1 Blenheim Road, Epsom, Surrey KT19 9AP

☎ 07714 128027
✉ distributors@tchibo-coffeeservice.co.uk
🌐 www.tchibo-coffee.co.uk


Tchibo
COFFEE
SERVICE